



BIOREPEELCL3® FND Product Specifications

1-844-226-8277

**info@medsupplysolutions.com
medsupplysolutions.com**



BioRePeelCl₃ protocol of use

1. Clean the zone of interest with specific deteration products (acetone, surfactants...)
2. Shake the ampoule for a few seconds until colour turn green for a temporary emulsion.
3. Using a syringe, prelate the quantity of product for the treatment without removing the butyl stopper.
4. Apply the product with nitrile gloves until it is completely absorbed.
5. Let the product performs:
 - i. FND: FACE, NECK AND DECOLLETE' 3/5 minutes
 - ii. BODY: HANDS, KNEES, ELBOWS, GLUTES, FEET 5/10 minutes
 - iii. It is possible to treat every body zone up to doctor's discreption.
6. Clean the zone with a gauze soaked with water.

Advised quantities:

FND	Volume mL
Face	1.5-2
Neck	1-1.5
Decolleté	2-2.5

BODY	Volume mL
Hands	2 each hand: 1 back and 1 palm
Elbows	0.5-1
Glutes	4
Knees	1
Feet	1.5 each feet
Other zones	1 each dm ²

BioRePeelCl₃ FND is applied every 7/12 days for 4 to 6 times.

BioRePeelCl₃ BODY is applied every 10/15 days for 4 to 6 times.



This document is a photographic image of the product insert provided for your convenience by Med Supply Solutions. Med Supply Solutions does not claim ownership of the content contained within this product insert. The intellectual property rights, including but not limited to copyrights, trademarks, and any other applicable rights, pertaining to the content of this product insert, remain the sole property of the original manufacturer. Med Supply Solutions accepts no liability for any inaccuracies, omissions, or discrepancies that may be present in this document. Your use of this product insert is subject to our terms and conditions, which can be found on our website. By accessing and utilizing this document, you acknowledge and accept the terms and conditions outlined therein.

1-844-226-8277
info@medsupplysolutions.com
medsupplysolutions.com